

Please check the examination details below before entering your candidate information

Candidate surname		Other names	
<b>Pearson Edexcel</b>		Centre Number	Candidate Number
<b>Level 3 GCE</b>		<input type="text"/>	<input type="text"/>
<b>Monday 20 May 2019</b>			
Afternoon (Time: 2 hours)		Paper Reference <b>9PS0/01</b>	
<b>Psychology</b> <b>Advanced</b> <b>Paper 1: Foundations in Psychology</b>			
<b>You do not need any other materials.</b>			Total Marks

## Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided  
– *there may be more space than you need.*

## Information

- The total mark for this paper is 90.
- The marks for **each** question are shown in brackets  
– *use this as a guide as to how much time to spend on each question.*
- The list of formulae and statistical tables are printed at the start of this paper.
- Candidates may use a calculator.

## Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ►

P56207A

©2019 Pearson Education Ltd.

1/1/1/1/1



## FORMULAE AND STATISTICAL TABLES

### Standard deviation (sample estimate)

$$\sqrt{\left(\frac{\sum (x - \bar{x})^2}{n - 1}\right)}$$

### Spearman's rank correlation coefficient

$$1 - \frac{6 \sum d^2}{n(n^2 - 1)}$$

### Critical values for Spearman's rank

Level of significance for a one-tailed test					
	0.05	0.025	0.01	0.005	0.0025
Level of significance for a two-tailed test					
N	0.10	0.05	0.025	0.01	0.005
5	0.900	1.000	1.000	1.000	1.000
6	0.829	0.886	0.943	1.000	1.000
7	0.714	0.786	0.893	0.929	0.964
8	0.643	0.738	0.833	0.881	0.905
9	0.600	0.700	0.783	0.833	0.867
10	0.564	0.648	0.745	0.794	0.830
11	0.536	0.618	0.709	0.755	0.800
12	0.503	0.587	0.678	0.727	0.769
13	0.484	0.560	0.648	0.703	0.747
14	0.464	0.538	0.626	0.679	0.723
15	0.446	0.521	0.604	0.654	0.700
16	0.429	0.503	0.582	0.635	0.679
17	0.414	0.485	0.566	0.615	0.662
18	0.401	0.472	0.550	0.600	0.643
19	0.391	0.460	0.535	0.584	0.628
20	0.380	0.447	0.520	0.570	0.612
21	0.370	0.435	0.508	0.556	0.599
22	0.361	0.425	0.496	0.544	0.586
23	0.353	0.415	0.486	0.532	0.573
24	0.344	0.406	0.476	0.521	0.562
25	0.337	0.398	0.466	0.511	0.551
26	0.331	0.390	0.457	0.501	0.541
27	0.324	0.382	0.448	0.491	0.531
28	0.317	0.375	0.440	0.483	0.522
29	0.312	0.368	0.433	0.475	0.513
30	0.306	0.362	0.425	0.467	0.504

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



**Chi-squared distribution formula**

$$X^2 = \sum \frac{(O-E)^2}{E}$$

$$df = (r - 1)(c - 1)$$

**Critical values for chi-squared distribution**

Level of significance for a one-tailed test						
	0.10	0.05	0.025	0.01	0.005	0.0005
Level of significance for a two-tailed test						
df	0.20	0.10	0.05	0.025	0.01	0.001
1	1.64	2.71	3.84	5.02	6.64	10.83
2	3.22	4.61	5.99	7.38	9.21	13.82
3	4.64	6.25	7.82	9.35	11.35	16.27
4	5.99	7.78	9.49	11.14	13.28	18.47
5	7.29	9.24	11.07	12.83	15.09	20.52
6	8.56	10.65	12.59	14.45	16.81	22.46
7	9.80	12.02	14.07	16.01	18.48	24.32
8	11.03	13.36	15.51	17.54	20.09	26.12
9	12.24	14.68	16.92	19.02	21.67	27.88
10	13.44	15.99	18.31	20.48	23.21	29.59
11	14.63	17.28	19.68	21.92	24.73	31.26
12	15.81	18.55	21.03	23.34	26.22	32.91
13	16.99	19.81	22.36	24.74	27.69	34.53
14	18.15	21.06	23.69	26.12	29.14	36.12
15	19.31	22.31	25.00	27.49	30.58	37.70
16	20.47	23.54	26.30	28.85	32.00	39.25
17	21.62	24.77	27.59	30.19	33.41	40.79
18	22.76	25.99	28.87	31.53	34.81	42.31
19	23.90	27.20	30.14	32.85	36.19	43.82
20	25.04	28.41	31.41	34.17	37.57	45.32
21	26.17	29.62	32.67	35.48	38.93	46.80
22	27.30	30.81	33.92	36.78	40.29	48.27
23	28.43	32.01	35.17	38.08	41.64	49.73
24	29.55	33.20	36.42	39.36	42.98	51.18
25	30.68	34.38	37.65	40.65	44.31	52.62
26	31.80	35.56	38.89	41.92	45.64	54.05
27	32.91	36.74	40.11	43.20	46.96	55.48
28	34.03	37.92	41.34	44.46	48.28	56.89
29	35.14	39.09	42.56	45.72	49.59	58.30
30	36.25	40.26	43.77	46.98	50.89	59.70
40	47.27	51.81	55.76	59.34	63.69	73.40
50	58.16	63.17	67.51	71.42	76.15	86.66
60	68.97	74.40	79.08	83.30	88.38	99.61
70	79.72	85.53	90.53	95.02	100.43	112.32

The calculated value must be equal to or exceed the critical value in this table for significance to be shown.



**Mann-Whitney U test formulae**

$$U_a = n_a n_b + \frac{n_a(n_a+1)}{2} - \sum R_a$$

$$U_b = n_a n_b + \frac{n_b(n_b+1)}{2} - \sum R_b$$

(U is the smaller of  $U_a$  and  $U_b$ )

**Critical values for the Mann-Whitney U test**

$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<b><math>p \leq 0.05</math> (one-tailed), <math>p \leq 0.10</math> (two-tailed)</b>																
<b>5</b>	4	5	6	8	9	11	12	13	15	16	18	19	20	22	23	25
<b>6</b>	5	7	8	10	12	14	16	17	19	21	23	25	26	28	30	32
<b>7</b>	6	8	11	13	15	17	19	21	24	26	28	30	33	35	37	39
<b>8</b>	8	10	13	15	18	20	23	26	28	31	33	36	39	41	44	47
<b>9</b>	9	12	15	18	21	24	27	30	33	36	39	42	45	48	51	54
<b>10</b>	11	14	17	20	24	27	31	34	37	41	44	48	51	55	58	62
<b>11</b>	12	16	19	23	27	31	34	38	42	46	50	54	57	61	65	69
<b>12</b>	13	17	21	26	30	34	38	42	47	51	55	60	64	68	72	77
<b>13</b>	15	19	24	28	33	37	42	47	51	56	61	65	70	75	80	84
<b>14</b>	16	21	26	31	36	41	46	51	56	61	66	71	77	82	87	92
<b>15</b>	18	23	28	33	39	44	50	55	61	66	72	77	83	88	94	100
<b>16</b>	19	25	30	36	42	48	54	60	65	71	77	83	89	95	101	107
<b>17</b>	20	26	33	39	45	51	57	64	70	77	83	89	96	102	109	115
<b>18</b>	22	28	35	41	48	55	61	68	75	82	88	95	102	109	116	123
<b>19</b>	23	30	37	44	51	58	65	72	80	87	94	101	109	116	123	130
<b>20</b>	25	32	39	47	54	62	69	77	84	92	100	107	115	123	130	138



$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<b><math>p \leq 0.01</math> (one-tailed), <math>p \leq 0.02</math> (two-tailed)</b>																
<b>5</b>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
<b>6</b>	2	3	4	6	7	8	9	11	12	13	15	16	18	19	20	22
<b>7</b>	3	4	6	7	9	11	12	14	16	17	19	21	23	24	26	28
<b>8</b>	4	6	7	9	11	13	15	17	20	22	24	26	28	30	32	34
<b>9</b>	5	7	9	11	14	16	18	21	23	26	28	31	33	36	38	40
<b>10</b>	6	8	11	13	16	19	22	24	27	30	33	36	38	41	44	47
<b>11</b>	7	9	12	15	18	22	25	28	31	34	37	41	44	47	50	53
<b>12</b>	8	11	14	17	21	24	28	31	35	38	42	46	49	53	56	60
<b>13</b>	9	12	16	20	23	27	31	35	39	43	47	51	55	59	63	67
<b>14</b>	10	13	17	22	26	30	34	38	43	47	51	56	60	65	69	73
<b>15</b>	11	15	19	24	28	33	37	42	47	51	56	61	66	70	75	80
<b>16</b>	12	16	21	26	31	36	41	46	51	56	61	66	71	76	82	87
<b>17</b>	13	18	23	28	33	38	44	49	55	60	66	71	77	82	88	93
<b>18</b>	14	19	24	30	36	41	47	53	59	65	70	76	82	88	94	100
<b>19</b>	15	20	26	32	38	44	50	56	63	69	75	82	88	94	101	107
<b>20</b>	16	22	28	34	40	47	53	60	67	73	80	87	93	100	107	114

$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<b><math>p \leq 0.025</math> (one-tailed), <math>p \leq 0.05</math> (two-tailed)</b>																
<b>5</b>	2	3	5	6	7	8	9	11	12	13	14	15	17	18	19	20
<b>6</b>	3	5	6	8	10	11	13	14	16	17	19	21	22	24	25	27
<b>7</b>	5	6	8	10	12	14	16	18	20	22	24	26	28	30	32	34
<b>8</b>	6	8	10	13	15	17	19	22	24	26	29	31	34	36	38	41
<b>9</b>	7	10	12	15	17	20	23	26	28	31	34	37	39	42	45	48
<b>10</b>	8	11	14	17	20	23	26	29	33	36	39	42	45	48	52	55
<b>11</b>	9	13	16	19	23	26	30	33	37	40	44	47	51	55	58	62
<b>12</b>	11	14	18	22	26	29	33	37	41	45	49	53	57	61	65	69
<b>13</b>	12	16	20	24	28	33	37	41	45	50	54	59	63	67	72	76
<b>14</b>	13	17	22	26	31	36	40	45	50	55	59	64	67	74	78	83
<b>15</b>	14	19	24	29	34	39	44	49	54	59	64	70	75	80	85	90
<b>16</b>	15	21	26	31	37	42	47	53	59	64	70	75	81	86	92	98
<b>17</b>	17	22	28	34	39	45	51	57	63	67	75	81	87	93	99	105
<b>18</b>	18	24	30	36	42	48	55	61	67	74	80	86	93	99	106	112
<b>19</b>	19	25	32	38	45	52	58	65	72	78	85	92	99	106	113	119
<b>20</b>	20	27	34	41	48	55	62	69	76	83	90	98	105	112	119	127



$N_a$	$N_b$															
	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<b><math>p \leq 0.005</math> (one-tailed), <math>p \leq 0.01</math> (two-tailed)</b>																
<b>5</b>	0	1	1	2	3	4	5	6	7	7	8	9	10	11	12	13
<b>6</b>	1	2	3	4	5	6	7	9	10	11	12	13	15	16	17	18
<b>7</b>	1	3	4	6	7	9	10	12	13	15	16	18	19	21	22	24
<b>8</b>	2	4	6	7	9	11	13	15	17	18	20	22	24	26	28	30
<b>9</b>	3	5	7	9	11	13	16	18	20	22	24	27	29	31	33	36
<b>10</b>	4	6	9	11	13	16	18	21	24	26	29	31	34	37	39	42
<b>11</b>	5	7	10	13	16	18	21	24	27	30	33	36	39	42	45	48
<b>12</b>	6	9	12	15	18	21	24	27	31	34	37	41	44	47	51	54
<b>13</b>	7	10	13	17	20	24	27	31	34	38	42	45	49	53	56	60
<b>14</b>	7	11	15	18	22	26	30	34	38	42	46	50	54	58	63	67
<b>15</b>	8	12	16	20	24	29	33	37	42	46	51	55	60	64	69	73
<b>16</b>	9	13	18	22	27	31	36	41	45	50	55	60	65	70	74	79
<b>17</b>	10	15	19	24	29	34	39	44	49	54	60	65	70	75	81	86
<b>18</b>	11	16	21	26	31	37	42	47	53	58	64	70	75	81	87	92
<b>19</b>	12	17	22	28	33	39	45	51	56	63	69	74	81	87	93	99
<b>20</b>	13	18	24	30	36	42	48	54	60	67	73	79	86	92	99	105

The calculated value must be equal to or less than the critical value in this table for significance to be shown.



### Wilcoxon Signed Ranks test process

- Calculate the difference between two scores by taking one from the other
- Rank the differences giving the smallest difference Rank 1

Note: do not rank any differences of 0 and when adding the number of scores, do not count those with a difference of 0, and ignore the signs when calculating the difference

- Add up the ranks for positive differences
- Add up the ranks for negative differences
- T is the figure that is the smallest when the ranks are totalled (may be positive or negative)
- N is the number of scores left, ignore those with 0 difference

### Critical values for the Wilcoxon Signed Ranks test

<i>n</i>	Level of significance for a one-tailed test		
	0.05	0.025	0.01
	Level of significance for a two-tailed test		
	0.1	0.05	0.02
N=5	0	-	-
6	2	0	-
7	3	2	0
8	5	3	1
9	8	5	3
10	11	8	5
11	13	10	7
12	17	13	9

The calculated value must be equal to or less than the critical value in this table for significance to be shown.





**Answer ALL questions.**

**SECTION A: SOCIAL PSYCHOLOGY**

- 1** Fuchsia was interested to see whether location affected prejudice. She is planning to visit three towns in her area and ask participants questions to judge how prejudiced they are.

(a) Describe how Fuchsia could recruit her participants using a volunteer sampling technique.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





(b) Fuchsia intends to use thematic analysis to analyse her data.

Explain **one** strength and **one** weakness of Fuchsia using thematic analysis to analyse her data.

(4)

Strength

.....

.....

.....

.....

.....

Weakness

.....

.....

.....

.....

.....

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (c) Fuchsia has drafted some open-ended questions that she plans to use, which are shown in **Figure 1**.

*My prejudice questions*

1. *If someone called you a racist, what would you say?*
2. *What do you think about people different to yourself?*
3. *Research has indicated that people who have social dominance orientation and right-wing authoritarianism may be more prejudiced than people who score higher in openness, and agreeableness. What do you think about this?*

**Figure 1**

Explain **one** improvement Fuchsia could make to the questions she has drafted shown in **Figure 1**.

(2)

.....

.....

.....

.....

.....

.....

**(Total for Question 1 = 8 marks)**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

2 Evaluate social impact theory as an explanation of obedience.

(8)

Handwriting practice area with horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 2 = 8 marks)

**TOTAL FOR SECTION A = 16 MARKS**



**SECTION B: COGNITIVE PSYCHOLOGY**

- 3** Tulving (1972) proposed an explanation of long-term memory.

Describe what Tulving (1972) meant by 'semantic memory'.

(2)

(Total for Question 3 = 2 marks)



4 During your course you will have learned about the classic study by Baddeley (1966b).

(a) State **two** findings of Baddeley (1966b).

(2)

Finding one

---

---

---

---

Finding two

---

---

---

---



**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**





**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

- 5** Cognitive psychology has been used to explain key questions of relevance to today's society.

Discuss the key question for society you have studied using concepts, theories and/or research from cognitive psychology.

(8)

## Key question



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 5 = 8 marks)

**TOTAL FOR SECTION B = 16 MARKS**



### SECTION C: BIOLOGICAL PSYCHOLOGY

- 6 Charles is 14 years old and has been displaying aggressive behaviour.

Recently he has shouted insults at other students and broken classroom equipment in his science lessons. Charles has also been in a fight with the football captain after Charles let in an important goal during the last match of the season.

Describe how hormones could account for Charles's behaviour.

(3)

(Total for Question 6 = 3 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7 As part of your psychology course, you were required to carry out a practical investigation when studying biological psychology.

- (a) State the research hypothesis for your practical investigation in biological psychology.

(2)

- (b) As part of your practical investigation when studying biological psychology, you were required to carry out a statistical test.

Describe the results of the statistical test you carried out for your practical investigation in biological psychology.

(2)



(c) Explain **one** strength of the practical investigation you carried out when studying biological psychology.

(2)

---

---

---

---

---

---

(d) Explain **one** improvement you could make to the practical investigation you carried out when studying biological psychology.

(2)

---

---

---

---

---

---

**(Total for Question 7 = 8 marks)**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

8 During the course you will have learned about the classic study by Raine et al. (1997).

Evaluate the classic study by Raine et al. (1997).

(8)

Area with horizontal dotted lines for writing the evaluation.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 8 = 8 marks)

**TOTAL FOR SECTION C = 19 MARKS**





DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

**BLANK PAGE**

**SECTION D BEGINS ON THE NEXT PAGE.**



## SECTION D: LEARNING THEORIES

- 9 Malik carried out an observation in a local cinema to investigate which films males and females watch. Malik stood near two screen entrances where he could not be seen and tallied whether males and females entered the screen to watch either a horror film or a comedy film.

(a) Identify the type of observation that Malik used in this study.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



(b) **Table 1** shows the number of males and females who watched either a horror film or a comedy film at the local cinema.


	Comedy Film	Horror Film
Males	### ### //	###
Females	### //	### ###

**Table 1**

Using the data from **Table 1**, draw a bar chart to represent the number of males and females who watched a horror film.

(3)

Title



- (c) Complete **Table 2** to calculate the chi-squared test for Malik's study to **two** decimal places.

(4)

		Observed	Expected	O-E	(O-E) <sup>2</sup>	(O-E) <sup>2</sup> / E
Males	Comedy Films	12	9.5			
	Horror Films	5	7.5			
Females	Comedy Films	7	9.5			
	Horror Films	10	7.5			
Chi-squared =						

**Table 2****SPACE FOR CALCULATIONS**Chi-squared ( $X^2$ ) .....

- (d) Malik had a two-tailed (non-directional) hypothesis with  $df = 1$  and used  $p=0.05$  as his level of significance.

Determine whether there is a significant difference between male and female film choice.

(1)

.....

.....

.....



**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

**(Total for Question 9 = 11 marks)**



**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

**DO NOT WRITE IN THIS AREA**

- 10** Tom has a daughter called Holly who is 18 months old. Tom is trying to teach Holly how to use a fork by demonstrating to her how he holds it. He also shows Holly how to use the fork to pick up food and says “well done” to her every time she uses the fork correctly. Holly smiles and laughs each time she picks up some food with the fork.

Discuss how social learning theory could account for Holly using a fork on her own. You must make reference to the context in your answer.

(8)



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 10 = 8 marks)

**TOTAL FOR SECTION D = 19 MARKS**





## SECTION E: ISSUES AND DEBATES

- 11** There are many considerations that need to be taken into account when conducting research with human participants.

Assess how far research from social and cognitive psychology could be considered ethical.

(8)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 11 = 8 marks)



12 To what extent is biological psychology scientific?

(12)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwriting practice area with 20 sets of horizontal dotted lines.



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 12 = 12 marks)

**TOTAL FOR SECTION E = 20 MARKS**

**TOTAL FOR PAPER = 90 MARKS**



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE

